

IBM DB2 11 DBA for z/OS

IBM C2090-312 Dumps Available Here at:

<https://www.certification-questions.com/ibm-exam/c2090-312-dumps.html>

Enrolling now you will get access to **53 questions** in a unique set of **C2090-312 dumps**

Question 1

Which two options can be specified in order to access a system-period temporal table for a specific point in time guaranteeing accurate results?

Options:

- A. A period-specification placed in the FROM clause of a subselect.
- B. A period-specification placed in the WHERE clause of a subselect
- C. A SELECT statement predicate against the transaction start ID of the base table.
- D. A predicate against the start and end columns of the base table placed in the WHERE clause of a subselect.
- E. A SET of the CURRENT TEMPORAL SYSTEM_TIME special register to a non-null value prior to a SELECT against the temporal table.

Answer: C, E

Question 2

As part of a health check, it is determined that the statistics feedback should be externalized more frequently.

Optimizer statistics recommendations can be immediately externalized to the DB2 catalog by performing what action?

Options:

- A. Issue the ACCESS command with appropriate keywords.

- B. Issue the ARCHIVE command with the appropriate keywords.
- C. Issue the STOP command for the appropriate set of statistics.
- D. Issue the ALTER command with the appropriate memory location.

Answer: A

Question 3

Prefetch I/Os are executed under a service request block in which address space?

Options:

- A. IRLM
- B. DBM1
- C. MSTR
- D. User address space

Answer: B

Question 4

A hotel prices its rooms differently at different times of the year. For example, Room 101 rents for \$100 per night January through March, \$150 per night April through September, and \$80 per night October through

December.

Which type of table could be used to implement the time-based rate changes?

Options:

- A. A rate-period temporal table
- B. A range-based temporal table
- C. A system-period temporal table
- D. An application-period temporal table

Answer: D

Question 5

If the OPTHINTS subsystem parameter is set to YES, and you issue the following DB2 command relating to optimization parameter hints:

BIND QUERY LOOKUP (YES)

what is the result of the execution of this command?

Options:

- A. A list of queries that are in error is produced.
- B. Updated values are placed in SYSIBM.SYSQUERY and SYSIBM.SYSQUERYPLAN tables.
- C. New values are inserted into the SYSIBM.SYSQUERY and SYSIBM.SYSQUERYPLAN tables.
- D. Messages containing only the status of rows in catalog tables SYSIBM.SYSQUERY and SYSIBM.SYSQUERYPLAN.

Answer: B

Explanation:

Reference: http://www-01.ibm.com/support/knowledgecenter/SSEPEK_11.0.0/com.ibm.db2z11.doc.comref/src/tpc/db2z_cmd_bindquery.dita?cp=SSEPEK_11.0.0%2F10-1-1-0-0-2

Question 6

What is necessary in order to enable optimization hints?

Options:

- A. ASYSIBM.PLAN_TABLE table.
- B. INSERT authority on SYSIBM.SYSQUERY table.
- C. A required index on the PLAN_TABLE used for optimization hints.
- D. ADSN USERQUERY TABLE table under the schema in which hints will be created.

Answer: C

Question 7

Which command populates the EXPLAIN tables but does not create a package?

Options:

- A. REBINDCOPY
- B. REBINDEXPLAIN(NO)
- C. REBINDEXPLAIN(YES)
- D. REBIND EXPLAIN(ONLY)

Answer: D

Explanation:

Reference: http://www-01.ibm.com/support/knowledgecenter/SSEPEK_11.0.0/com.ibm.db2z11.doc.comref/src/tpc/db2z_bindoptexplain.dita

Question 8

The TCP/IP Already Verified (TCPALVER) DB2 system parameter controls whether DB2 accepts a TCP/IP connection requests. Which statement is NOT a valid value?

Options:

- A. TCPALVER=NO
- B. TCPALVER=YES
- C. TCPALVER=SERVER_SECURE
- D. TCPALVER=SERVERENCRYPT

Answer: B

Question 9

Which global variables statement is true?

Options:

- A. A global variable is a synonym for special registers.
- B. Like for special registers, the access to global variables cannot be granted or revoked.
- C. A global variable is a created DB2 object, which can be instantiated and used by applications.
- D. Global variables can only be used in native SQL stored procedures and user-defined functions.

Answer: B

Question 10

Which DB2 subsystem parameter limits the number of concurrent active TSO requests?

Options:

- A. IDBACK
- B. IDFORE
- C. MAXDBAT

D. CONDBAT

Answer: B

Would you like to see more? Don't miss our C2090-312 PDF file at:

<https://www.certification-questions.com/ibm-pdf/c2090-312-pdf.html>

