Dell Storage Networking Professional - version 2

Dell DC0-261 Dumps Available Here at:

https://www.certification-questions.com/dell-exam/dc0-261-dumps.html

Enrolling now you will get access to 124 questions in a unique set of DC0-261 dumps

Question 1

Navisphere CLI is typically installed with what other software package?

Options:

A. Navisphere Manager

B. Host Agent

C. AccessLogix

D. PowerPath

Answer: B

Question 2

Which two statements about Storage Area Networks (SANs) are true? (Choose two.)

Options:

A. SANs enable the sharing of storage resources via IP / Ethernet networking.

B. SANs enable the sharing of storage resources across a high speed, low latency, Fibre Channel network.

C. SANs provide block level I/O access to storage resources.

D. SANs provide file level I/O access to storage resources.

Answer: B, C

Question 3

Which three statements are correct about zoning with Brocade switches? (Choose three.)

Options:

A. Zoning configuration information is stored on the hosts.

B. Zone aliases are not required to define a zone.

C. A zone can be included in more than one zone configuration.

D. Each zone must be given a unique name.

E. Each device can be included in only one zone.

Answer: B, C, D

Question 4

Which term is another name for hard zoning in Fibre Channel switches?

Options:

A. soft zoning

B. WWN zoning

C. port zoning

D. switch zoning

Answer: C

Question 5

Where is the Host Agent privileged user list stored?

Options:

A. on the Storage Area Network (SAN) for central access

B. in an administrative share on the host server for host-to-host replication

C. both locally and remotely on the SAN

D. each Host Agent maintains its own local copy

Answer: D

Question 6

Which utility should you use to add LUN management functionality to a server when using SAN Copy?

Options:

A. admhost

B. naviadm

C. admcopy

D. admsnap

Answer: A

Question 7

Which three statements about a GigaBit Interface Converter (GBIC) are true? (Choose three.)

Options:

A. Single-mode optical can be used for long wavelength transmissions.

B. A GBIC can convert the SCSI protocol into Fibre Channel.

C. Multi-mode optical can be used for short wavelength transmissions.

D. Small form pluggable LC transceivers build upon the GBIC standard.

E. A GBIC terminates a Fibre loop.

Answer: A, C, D

Question 8

Which two components of a CX700 array do the standby power supplies connect to? (Choose two.)

Options:

A. The left and right power distribution units (PDUs)

B. Storage Processor Enclosure (SPE)

C. the first Disk Array Enclosure (DAE2-OS)

D. Disk Processor Enclosure (DPE)

Answer: B, C

Question 9

Which three statements are correct about using SnapView? (Choose three.)

Options:

A. SnapView can take snapshots, or point-in-time copies of LUNs.

B. SnapView can make clones, or 100% duplicate copies of a LUN.

C. Snapshots can take mere seconds to create.

D. Snapshots are volume-level and thus able to restore specific files.

E. Snapshots may be created using the admhost CLI utility.

Answer: A, B, C

Question 10

What are four characteristics of World Wide Names (WWNs)? (Choose four.)

Options:

A. WWNs consist of a 128-bit value comprising a 64-bit node name and a 64-bit port name.

B. WWNs can be used in an IP NIC

C. WWNs are used to route SAN data and provide zoning and failover functionality.

D. Each device has a pre-defined, unique address.

E. More than one WWN can exist in a single host if the host contains multiple Host Bus Adapters (HBAs).

Answer: A, C, D, E

Would you like to see more? Don't miss our DC0-261 PDF file at:

https://www.certification-questions.com/dell-pdf/dc0-261-pdf.html